

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	12	(US-20020194499-\$ or US-20040139319-\$ or US-20040162996-\$ or US-20020112045-\$ or US-20040210767-\$ or US-20050114673-\$ or US-20020091928-\$ or US-20010019614-\$ or US-20040107212-\$).did. or (US-6449615-\$ or US-5948064-\$ or US-6021496-\$).did.	US-PGPUB; USPAT	OR	ON	2008/11/25 10:47
L4	0	3 and voice	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 10:47
L5	45	biometric with sample with size	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 10:47
L6	0	biometric with sample with size and authenticatoin	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 10:48
L7	28	biometric with sample with size and authentication	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 10:48
L8	152	(voice and fingerprint) with template	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 10:51
L9	3	(voice and fingerprint) with template with size	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 10:51

L10	10	replicat\$3 near2 group adj policies	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 10:53
L11	0	user adj (name id) near policy with number with character	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:53
L12	1	user adj (name id) with policy with number with character	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:53
L13	417	user adj (name id) with number with character	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:53
L14	2	user adj (name id) with number with character with (upper lower)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:53
L15	681	user adj (name id) with policy	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:56
L16	89	user adj (name id) with policy with (number numeral)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:56
L17	0	user adj (name id) with policy with (number numeral) with letters	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:56
L18	1	user adj (name id) with policy with (number numeral) with character	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:56
L19	454	user adj (name id) with (number numeral) with character	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:57

L20	22	user adj (name id) with (number numeral) with character with case	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:57
L21	25	((user adj (name id)) username) with (number numeral) with character with case	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:58
L22	172	((user adj (name id)) username) with (number numeral) with length	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 12:01
L23	0	((user adj (name id)) username) with (number numeral) with length with policy	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 12:01
L24	3	((user adj (name id)) username) with (number numeral) with length with policy	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 12:01
L25	86	((user adj (name id)) username) near policy	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 12:03
L26	10	((user adj (name id)) username) with create with length	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 12:04
L27	303	((user adj (name id)) username) near3 contains with (number numeric numeral)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 12:06
L28	3	((user adj (name id)) username) near3 contains with (number numeric numeral) with (letters alphabet character)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 12:06

S18	80	servers near3 shar\$3 near3 polic\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 13:39
S19	9	servers near3 shar\$3 near3 polic\$3 same authentica\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 13:40
S25	43	servers with (copy\$3 merg\$3) with (authentic\$6 security) near policy	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 13:32
S26	46	multiple adj ldap	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 13:39
S27	23	S26 and authenticat \$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 13:40
S28	151	policy and authentication and replicat\$3 and domain adj controller	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 15:01
S29	58	authentication and replicat\$3 same policy and domain adj controller	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 15:06
S30	113	common adj2 id with user same (network server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 15:08

S31	50	(US-6144959-\$ or US-6070243-\$ or US-5491752-\$ or US-5948064-\$ or US-6021496-\$ or US-6065054-\$ or US-6105132-\$ or US-5210795-\$ or US-5276735-\$ or US-5499297-\$ or US-5502766-\$ or US-5534855-\$ or US-5564016-\$ or US-5805803-\$ or US-5935248-\$ or US-5974463-\$ or US-6073242-\$ or US-6088451-\$ or US-6092196-\$ or US-6158010-\$ or US-6256737-\$ or US-6275941-\$ or US-6311269-\$ or US-6317838-\$ or US-6336186-\$ or US-6339830-\$).did. or (US-6408336-\$ or US-6418466-\$ or US-6442686-\$ or US-6510513-\$ or US-6584454-\$ or US-6615349-\$ or US-6745332-\$ or US-6751677-\$ or US-6772331-\$ or US-6785728-\$ or US-6826696-\$ or US-6834341-\$ or US-6851113-\$ or US-6874090-\$ or US-6886095-\$ or US-6917605-\$ or US-6954790-\$ or US-6980660-\$ or US-7032241-\$ or US-7085924-\$ or US-7089415-\$ or US-7100047-\$ or US-7149896-\$ or US-7155518-\$).did.	USPAT	OR	ON	2008/11/24 15:25
-----	----	--	-------	----	----	---------------------

S32	2	common adj2 id with user same (network server) and ldap	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:16
S33	1	authentication adj policy and number near character same fingerprint same voice adj print	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:17
S34	0	(masahiro.in. ibm.as.) and authentication.dlm. and policy.dlm. and "server.dlm"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:19
S35	2	(masahiro.in. ibm.as.) and authentication.dlm. and policy.dlm. and server.dlm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:19
S36	2	number near character same fingerprint same voice adj print	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:21
S37	1	number near character same fingerprint same voice same size	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:22
S38	3	number same character same fingerprint same voice same size	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:22
S39	0	password adj policy with number with character with fingerprint	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:22
S40	12	password adj policy with strong	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:23
S41	10844	fingerprint and voice and data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:24

S42	130	fingerprint and voice and data adj size	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:25
S43	62	fingerprint same voice and data adj size	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:25
S45	2	biometric with data adj size	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:26
S46	3	biometric with metric with size	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:28
S47	309	load adj balanc\$3 with authenticat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:32
S48	185	load adj balanc\$3 with authenticat\$3 with (device server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:32
S49	2	EP-1564637-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/11/24 16:33
S50	91	S48 and priority	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:33
S51	6	(load adj balanc\$3 with authenticat\$3 with (device server)) same priority	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:36
S52	2	common adj2 id with user same (network server) and ldap	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:37

S53	0	common adj2 sid same (network server) and ldap	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:38
S54	6	common adj2 id same (network server) and ldap	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:38
S55	132	mutual adj authentication with certificate with server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:38
S56	26	mutual adj authentication with certificate with server and pki	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:39
S57	86	mutual\$2near authenticat\$3 with certificate with between with server and pki	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:41
S58	13	mutual\$2 near authenticat\$3 with certificate with between with server and pki	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:41
S59	0	mutual\$2 near authenticat\$3 with certificate with between with servers and pki	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 16:42
S60	3	mutual\$2 near authenticat\$3 with certificate with servers and pki	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 16:43
S61	16	mutual\$2 near authenticat\$3 with servers and pki with certificate	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/24 16:44
S62	0	user with shares with common adj id with exception	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:46

S63	1	user with shares with common adj id	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:46
S64	1	user with shares with common with sid	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:47
S65	15	common with sid with table	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:47
S66	2	duplicate adj sid	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:48
S67	0	duplicate adj2 id with user with sid	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:49
S68	0	duplicate with id with user with sid	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:49
S69	5	duplicate with id with user with identifier	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:49
S70	275	"Same" with id with user with identifier	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:50
S71	68	"Same" near2 (id "username") with user with identifier	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:50
S72	23	S71 and ldap	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 16:51

11/25/2008 12:21:17 PM

C:\Documents and Settings\mvaughan\My Documents\EAST\Workspaces\10598875.wsp